ELSEVIER

Geomorphology 39 (2001) 261–262

GEOMORPHOLOGY

www.elsevier.nl/locate/geomorph

Contents Volume 39, 2001

Vol. 39, Nos. 1–2

SPECIAL ISSUE

CONTRIBUTIONS TO TEMPERATE AND HUMID TROPICAL PALAEOHYDROLOGY

Introduction 1

Fluvial geomorphology and paleohydrology in Japan
T. Oguchi, K. Saito, H. Kadomura and M. Grossman 3
Large floods and climatic change during the Holocene on the Ara River, Central Japan
M.J. Grossman 21
Late Holocene slackwater deposits on the Nakagawa River, Tochigi Prefecture, Japan
A.P. Jones, H. Shimazu, T. Oguchi, M. Okuno and M. Tokutake 39
Late Quaternary stream sedimentation in the humid tropics: a review with new data from NE Queensland, Australia
M.F. Thomas, J. Nott and D.M. Price 53
Late Holocene channel changes of the Middle Trent: channel response to a thousand-year flood record
A.G. Brown, L. Cooper, C.R. Salisbury and D.N. Smith 69

Vol. 39, Nos. 3–4

Research Papers
Paleoshoreline geomorphology of Böön Tsagaan Nuur, Tsagaan Nuur and Orog Nuur: the Valley of Lakes, Mongolia
G. Komatsu, P.J. Brantingham, J.W. Olsen and V.R. Baker 83
Conical sandstone landforms cored with clastic pipes in Glen Canyon National Recreation Area, southeastern Utah
D.I. Netoff and R.R. Shroba 99
Formation and failure of volcanic debris dams in the Chakachatna River valley associated with eruptions of the Spurr volcanic complex, Alaska
C.F. Waythomas 111
The geometric, sedimentologic and hydrologic attributes of spring-dominated channels in volcanic areas
P.J. Whiting and D.B. Moog 131
Macropore flow on a reclaimed surface mine: infiltration and hillslope hydrology
M.D. Guebert and T.W. Gardner 151
Wildfire-related debris-flow initiation processes, Storm King Mountain, Colorado
S.H. Cannon, R.M. Kirkham and M. Parise 171
Aeolian erosional lineations in the Libyan Desert, Dakhla Region, Egypt
I.A. Brookes 189
Remote sensing and GIS-based regional geomorphological mapping—a tool for land use planning in developing countries
G. Bocco, M. Mendoza and A. Velázquez 211
Scales of boundary resistance in coarse-grained channels: turbulent velocity profiles and implications
M. Lawless and A. Robert 221
The case of the missing flood: the unrecorded flood of 1935 on the James River, Mason County, Texas
K.J. Tinkler 239

Discussion
An alternative model for the geomorphic history of pre-Wisconsinan surfaces on eastern Baffin Island: a comment on Bierman et al. (1999)
A.P. Wolfe, E.J. Steig and M.R. Kaplan 251
Response to Discussion by Wolfe et al. on Bierman et al. (Geomorphology 25 (1999) 25–39)
P.R. Bierman, K.A. Marsella, P.T. Davis and M.W. Caffee 255

Contents Volume 39, 2001 261